



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Driver 110 mph

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO PLUS 2019	109.0	159.5	1.5	9.6	1.2	2526.0	-1.5	171.0	30.3	39.6	61.3	6.6	17.2	250.2	19.1	271.0	20.9	4.6
	0.1	0.5	0.0	0.3	0.7	143.7	2.4	8.3	3.2	4.5	3.0	0.5		3.7		3.5	4.3	1.8
Ball: Vice PRO PLUS 2020	109.0	161.7	1.5	9.7	0.9	2475.4	-1.5	172.3	31.1	38.9	62.3	6.6	17.4	253.8	19.5	275.4	21.7	4.0
	0.2	0.4	0.0	0.2	0.7	150.4	1.9	4.2	2.1	2.5	1.7	0.2		4.3		6.2	2.6	1.7
Ball: Titleist Prov1x	108.9	160.3	1.5	9.7	1.3	2586.6	-2.2	170.9	31.7	40.4	61.3	6.7	14.0	251.0	15.9	270.5	19.5	6.2
	0.2	0.6	0.0	0.4	0.5	84.4	2.3	3.5	1.1	1.0	1.4	0.2		2.9		4.0	2.3	1.8



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Mid-Iron

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO PLUS 2019	87.2	126.3	1.4	15.4	1.5	5396.0	-0.1	120.8	36.7	52.7	60.6	6.4	5.9	174.4	6.2	180.1	5.7	4.5
	0.3	0.4	0.0	0.2	0.3	134.3	1.0	2.4	0.3	1.4	3.2	0.2		3.2		3.6	0.9	2.2
Ball: Vice PRO PLUS 2020	87.4	127.9	1.5	15.6	1.4	5305.1	-0.5	122.6	38.0	52.4	62.0	6.5	8.5	177.2	8.9	183.2	6.0	5.4
	0.4	0.5	0.0	0.3	0.3	112.7	1.4	2.3	0.6	1.3	5.1	0.3		2.7		3.3	1.0	2.1
Ball: Titleist Prov1x	87.4	126.9	1.5	15.3	1.6	5514.6	-0.4	122.5	36.9	52.7	57.6	6.6	7.5	174.8	8.0	180.3	5.6	4.7
	0.4	0.4	0.0	0.2	0.4	85.0	1.4	3.6	0.9	1.4	3.8	0.3		2.1		2.7	1.0	2.0



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Wedge

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO PLUS 2019	73.6	88.5	1.2	28.0	1.3	9004.9	-1.7	68.2	27.8	53.0	53.9	5.1	1.7	105.2	1.7	106.8	1.6	2.8
	0.1	0.3	0.0	0.8	0.2	203.6	0.5	1.5	1.9	3.7	6.0	0.3		3.7		5.7	2.7	2.4
Ball: Vice PRO PLUS 2020	73.6	88.4	1.2	28.3	1.5	8743.4	-0.9	68.3	28.7	54.5	53.9	5.2	4.5	103.9	4.5	104.3	0.4	3.1
	0.1	0.4	0.0	0.4	0.2	191.1	1.7	1.2	1.4	2.2	4.2	0.2		2.4		3.0	0.8	2.0
Ball: Titleist Prov1x	73.8	87.0	1.2	27.5	1.4	8954.8	-2.3	66.8	26.9	53.5	49.4	5.2	3.1	101.0	3.2	102.8	1.7	1.8
	0.1	0.4	0.0	0.8	0.4	123.9	1.0	1.1	1.0	1.8	4.8	0.2		3.6		4.0	2.1	2.3



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Driver 110 mph

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO 2019	108.8	157.6	1.4	10.4	1.3	2333.8	-2.1	169.9	29.8	37.6	60.6	6.6	11.9	251.2	12.3	273.2	22.0	0.0
	0.3	0.8	0.0	0.4	0.5	153.3	3.2	4.5	1.7	3.0	4.1	0.5		2.9		4.2	2.8	0.0
Ball: Vice PRO 2020	108.9	159.4	1.5	10.5	1.2	2254.3	-0.7	167.9	29.1	36.6	63.8	6.4	15.4	252.7	17.6	276.8	24.2	0.0
	0.2	0.9	0.0	0.3	0.2	168.7	2.6	4.4	2.0	2.3	1.5	0.3		4.6		4.6	2.8	0.0
Ball: Titleist ProV1	108.7	158.5	1.5	10.6	1.3	2159.0	-0.1	167.2	29.4	36.9	63.0	6.4	14.0	250.7	16.5	273.9	23.2	0.0
	0.3	1.0	0.0	0.5	0.4	100.1	2.4	6.3	1.7	1.9	2.6	0.3		5.9		4.6	3.6	0.0



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Mid-Iron

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO 2019	87.6	126.8	1.4	15.2	2.5	5481.0	-2.5	121.7	36.4	51.7	56.8	6.5	6.9	176.4	7.4	181.6	5.2	0.0
	0.3	0.5	0.0	0.3	0.3	173.1	1.4	2.4	1.1	2.7	3.0	0.1		3.9		6.0	2.5	0.0
Ball: Vice PRO 2020	87.7	128.1	1.5	15.2	2.3	5511.2	-1.5	123.5	37.4	52.8	65.4	6.3	5.1	178.3	5.4	184.0	5.8	0.0
	0.4	0.5	0.0	0.3	0.2	73.8	0.8	2.7	1.1	3.2	5.2	0.3		3.7		5.2	1.9	0.0
Ball: Titleist ProV1	87.5	127.0	1.5	15.2	2.5	5453.0	-1.9	121.1	36.5	52.1	63.7	6.3	6.2	174.8	6.4	180.9	6.1	0.0
	0.3	0.5	0.0	0.4	0.2	184.5	1.3	2.0	0.7	2.7	5.7	0.3		2.6		4.2	1.8	0.0



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Wedge

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO 2019	73.9	89.4	1.2	28.1	1.0	8961.1	-1.7	69.7	28.6	52.8	53.5	5.2	1.9	106.4	2.0	107.9	1.5	0.0
	0.1	0.6	0.0	0.5	0.4	79.3	1.2	1.0	1.4	3.5	6.1	0.3		3.2		4.9	2.3	0.0
Ball: Vice PRO 2020	74.0	89.3	1.2	27.9	0.8	8906.9	-0.3	75.2	29.7	52.9	54.8	5.5	5.0	109.9	5.3	110.6	0.7	0.0
	0.1	3.1	0.0	3.7	0.8	212.7	6.5	12.0	3.4	1.8	1.9	0.8		1.4		1.6	0.6	0.0
Ball: Titleist ProV1	74.0	89.4	1.2	28.6	1.2	8840.0	-1.3	70.5	28.4	53.3	51.0	5.3	1.9	107.0	2.0	108.3	1.4	0.0
	0.1	0.4	0.0	0.8	0.4	250.1	1.0	0.9	0.7	1.2	3.5	0.1		2.1		4.4	2.9	0.0



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice

Test: Ball - Driver 95 mph

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO SOFT 2019	93.8	135.9	1.4	11.0	-0.1	2318.8	-1.5	134.1	20.7	29.5	59.3	5.7	11.5	207.9	14.5	235.3	27.4	3.2
	0.1	0.4	0.0	0.5	0.6	115.2	2.4	2.5	0.7	4.6	4.0	0.6		3.3		5.0	3.1	1.0
Ball: Vice PRO SOFT 2020	93.8	137.1	1.5	11.2	-0.2	2222.7	-1.7	134.4	21.5	31.3	59.5	5.6	16.4	208.5	22.2	233.8	25.3	3.6
	0.1	0.4	0.0	0.4	0.6	107.2	1.6	2.3	1.0	3.9	1.6	0.3		3.5		3.9	1.8	1.3
Ball: Titleist AVX	93.7	136.3	1.5	11.1	0.6	2158.5	-1.6	127.9	19.6	30.1	62.9	5.2	7.8	201.9	9.8	230.7	28.8	4.5
	0.2	0.4	0.0	0.5	0.3	165.0	2.0	1.7	0.7	1.1	1.1	0.1		3.4		4.4	2.2	1.4



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice

Test: Ball - Mid-Iron

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO SOFT 2019	87.4	126.2	1.4	15.6	1.9	5022.8	-0.7	123.2	37.0	52.6	61.9	6.4	12.6	177.6	13.3	184.0	6.4	4.6
	0.4	0.5	0.0	0.3	0.6	121.8	1.7	1.5	0.6	2.4	4.3	0.2		2.2		3.5	1.5	1.3
Ball: Vice PRO SOFT 2020	87.4	127.3	1.5	15.7	1.7	5032.2	-0.6	123.8	37.8	52.9	61.7	6.5	9.9	177.7	10.5	183.8	6.1	4.3
	0.3	0.4	0.0	0.3	0.5	119.3	1.6	2.0	0.8	2.3	5.6	0.2		3.8		4.7	1.2	0.9
Ball: Titleist AVX	87.7	126.5	1.4	15.9	1.6	4796.5	-1.2	126.5	36.6	50.2	58.6	6.6	6.2	182.4	6.6	189.2	6.7	3.4
	0.4	0.4	0.0	0.3	0.5	296.3	1.3	4.5	1.3	1.8	1.0	0.3		3.2		4.2	2.0	1.5



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice

Test: Ball - Wedge

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice PRO SOFT 2019	73.8	88.7	1.2	28.3	1.4	8443.8	-0.5	71.9	29.9	54.1	54.7	5.4	5.5	107.6	5.5	108.6	1.0	1.4
	0.1	2.0	0.0	1.9	0.5	117.2	2.0	5.2	2.6	2.2	4.1	0.5		2.5		3.7	1.3	1.0
Ball: Vice PRO SOFT 2020	73.6	89.5	1.2	29.1	1.5	8391.2	-1.3	69.9	29.8	55.1	52.8	5.3	4.6	105.1	4.7	106.4	1.3	2.3
	0.2	0.6	0.0	0.5	0.4	321.0	1.3	1.2	1.1	1.1	4.1	0.1		3.1		4.0	2.0	1.3
Ball: Titleist AVX	73.6	88.1	1.2	28.3	1.5	8316.9	-1.9	69.0	29.8	56.0	54.3	5.3	4.9	103.2	5.0	103.3	0.2	2.7
	0.1	0.5	0.0	0.9	0.2	144.6	1.7	1.9	3.2	3.6	4.4	0.3		2.9		3.8	1.0	1.1



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice
Date:
Test: Ball - Driver 110 mph

	Launch Data						Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL	
Ball: Tour 2020	108.7	155.3	1.4	12.3	-1.3	2772.6	3.0	171.5	32.5	37.0	64.6	6.7	19.3	260.7	23.3	285.7	25.0	0.0	
	0.3	1.0	0.0	0.3	0.6	309.3	2.1	5.1	1.9	2.4	1.4	0.3		5.4		4.6	4.5	0.0	
Ball: Titleist NXT Tour S	109.3	154.7	1.4	12.0	-1.0	2878.4	1.1	172.0	35.2	39.7	63.9	6.9	13.5	257.2	16.0	277.9	20.7	0.0	
	0.5	0.6	0.0	0.2	0.3	304.1	1.9	1.9	1.3	3.0	1.1	0.2		1.8		1.9	2.6	0.0	



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice
Date:
Test: Ball - Wedge

	Launch Data						Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL	
Ball: Tour 2020	47.6	51.6	1.1	33.9	1.3	6098.1	-1.4	29.0	10.6	43.1	40.7	3.0	0.7	50.2	1.1	55.9	5.7	0.0	
	0.3	0.8	0.0	1.7	0.4	994.0	2.5	0.3	0.6	1.5	0.4	0.1		0.6		1.2	1.5	0.0	
Ball: Titleist NXT Tour S	47.6	51.0	1.1	34.5	1.2	5485.0	-0.7	28.8	10.6	42.0	40.0	3.1	3.4	49.9	4.2	55.2	5.3	0.0	
	0.4	0.7	0.0	2.7	0.5	856.0	1.1	0.8	0.9	2.8	1.1	0.1		1.0		1.4	0.8	0.0	



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Driver 95mph

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice DRIVE 2019	95.2	137.3	1.4	11.0	0.9	1951.6	-1.3	123.8	18.2	28.0	65.4	4.9	6.4	201.3	8.6	231.1	29.8	2.3
	0.1	0.4	0.0	0.5	0.5	78.9	2.2	3.5	1.5	1.7	1.8	0.2		3.0		2.9	3.4	2.9
Ball: Vice DRIVE 2020	95.0	137.3	1.4	11.4	1.3	1919.4	-2.8	139.2	22.7	31.3	60.1	5.9	10.9	216.5	15.7	241.9	25.3	2.7
	0.1	0.8	0.0	0.7	0.3	73.9	2.3	4.6	1.9	6.1	4.3	0.5		3.4		4.1	3.2	2.9
Ball: Titleist Tour Soft	95.2	138.0	1.4	10.3	0.8	2138.5	-4.0	133.1	19.4	29.5	61.4	5.3	18.5	208.8	24.2	236.8	28.0	3.1
	0.3	0.5	0.0	0.3	0.5	138.6	3.7	3.7	1.9	3.2	1.1	0.2		3.0		3.8	2.5	3.4



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Mid Iron

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice DRIVE 2019	88.3	127.6	1.4	14.6	2.3	5146.6	-2.2	125.8	34.1	48.5	56.8	6.5	4.9	184.6	5.2	193.4	8.7	0.0
	0.2	0.7	0.0	0.2	0.6	128.0	1.1	2.0	0.8	1.1	2.3	0.2		3.6		3.7	1.5	0.0
Ball: Vice DRIVE 2020	88.4	128.4	1.5	15.3	2.3	5071.4	-1.9	128.1	36.9	52.1	59.7	6.8	6.6	179.8	7.2	187.4	7.6	0.0
	0.2	1.2	0.0	0.5	0.3	181.1	1.1	12.2	1.4	2.0	2.2	0.9		3.2		4.6	1.8	0.0
Ball: Titleist Tour Soft	88.4	127.1	1.4	15.1	2.1	4918.9	-1.5	123.3	35.0	50.2	57.9	6.4	9.5	180.1	10.0	187.8	7.7	0.0
	0.3	0.5	0.0	0.4	0.5	113.0	1.6	2.1	0.6	2.1	1.9	0.1		2.6		3.3	1.3	0.0



Golf Laboratories, Inc.
Independent Equipment Testing

Client: Vice

Test: Ball - Wedge

	Launch Data					Flight Data				Descent Data			Landing Data				Wind	
	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN AXIS	MAX HGHT DR.	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: Vice DRIVE 2019	74.3	90.0	1.2	29.4	-0.5	7830.6	0.2	71.9	30.4	55.4	54.0	5.4	1.9	108.0	1.9	109.7	1.7	0.0
	0.1	0.6	0.0	0.7	0.3	324.4	0.7	0.9	1.0	2.0	3.1	0.1		2.7		4.0	2.9	0.0
Ball: Vice DRIVE 2020	74.3	90.4	1.2	29.2	-0.1	8112.0	0.0	72.8	31.4	56.8	54.9	5.5	4.6	108.5	4.5	108.4	-0.1	0.0
	0.1	0.6	0.0	1.2	0.4	87.5	1.6	1.8	2.3	2.3	3.1	0.2		1.7		2.1	1.4	0.0
Ball: Titleist Tour Soft	74.3	90.2	1.2	28.9	-0.3	8136.9	-0.5	72.0	30.2	54.9	52.7	5.4	1.9	108.4	1.9	110.7	2.3	0.0
	0.1	0.3	0.0	0.7	0.3	105.0	1.0	0.9	0.7	1.4	3.2	0.1		1.1		2.5	2.6	0.0



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice
Date: November 2, 2020
Test: Ball

	Swing Data				Launch Data				Flight Data				Descent Data			Landing Data				Wind						
	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN	AXIS	MAX HGHT	DR	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: VICE PRO ZERO																										
	Avg.	0.0	0.0	0.0	0.0	13.0	0.4	91.7	135.9	1.5	11.1	0.3	2531.2	2.1	135.6	20.7	29.8	60.0	5.6	12.2	212.9	15.7	241.8	28.9	0.0	
	S/D	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.5	0.0	0.2	0.2	82.0	3.5	1.4	0.5	1.9	2.9	0.2		2.1		2.1	1.1	0.0	
Ball: Pro V1																										
	Avg.	0.0	0.0	0.0	0.0	12.8	-0.2	91.6	135.2	1.5	10.9	-0.2	2546.9	-0.3	128.4	18.6	26.7	61.9	5.3	14.0	206.0	19.3	238.3	32.3	0.0	
	S/D	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.4	0.0	0.2	0.3	65.3	2.9	2.4	0.7	2.9	3.5	0.3		3.3		3.0	1.6	0.0	



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice
Date: November 2, 2020
Test: Ball

	Swing Data				Launch Data				Flight Data				Descent Data			Landing Data				Wind						
	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN	AXIS	MAX HGHT	DR	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: VICE PRO ZERO																										
	Avg.	-5.0	1.8	61.9	-0.9	18.1	1.2	90.1	127.6	1.4	14.2	1.3	4944.8	-0.3	122.6	33.1	47.2	53.0	6.5	8.6	179.6	9.5	189.5	9.9	2.0	
	S/D	0.1	0.3	0.5	0.2	0.2	0.4	0.2	0.3	0.0	0.2	0.4	215.5	1.8	0.9	0.7	1.6	1.3	0.1		1.5		2.2	0.7	1.8	
Ball: Pro V1																										
	Avg.	-4.9	1.9	62.0	-0.8	18.3	1.1	89.9	126.8	1.4	14.3	1.2	4993.0	0.5	122.5	31.5	45.8	52.4	6.4	4.6	180.8	6.0	191.3	10.6	1.6	
	S/D	0.1	0.2	0.3	0.2	0.1	0.5	0.2	0.3	0.0	0.2	0.4	62.4	1.8	1.1	0.5	1.8	1.9	0.1		2.7		3.8	1.3	1.5	



**Golf
Laboratories, Inc.**
Independent Equipment Testing

Client: Vice
Date: November 2, 2020
Test: Ball

	Swing Data				Launch Data				Flight Data				Descent Data			Landing Data				Wind						
	A/A	Club Path	Vert. SP	Horiz. SP	Dyn. Loft	F/A	H/S	B/S	Ratio	L/A	H L/A	SPIN	SPIN	AXIS	MAX HGHT	DR	MAX HGHT	VERT. LAND	B/S	F TIME	C-DISP	C-DIST	T-DISP	T-DIST	ROLL	VEL
Ball: VICE PRO ZERO																										
	Avg.	-4.4	2.3	60.7	-0.2	36.7	0.4	74.3	90.5	1.2	27.1	1.0	8574.1	0.3	70.6	27.8	53.0	45.4	5.4	3.1	105.5	3.2	107.0	1.5	2.0	
	S/D	0.1	0.1	0.5	0.2	0.2	0.5	0.0	0.3	0.0	0.2	0.3	140.1	2.0	1.3	0.3	1.0	0.7	0.1		2.6		2.9	0.3	2.4	
Ball: Pro V1																										
	Avg.	-4.9	2.6	60.9	-0.2	36.8	0.7	74.3	90.4	1.2	27.2	1.2	8611.2	-0.4	71.0	27.8	52.6	45.7	5.4	3.2	106.3	3.4	107.9	1.7	2.0	
	S/D	1.1	0.5	0.5	0.1	0.2	0.5	0.1	0.2	0.0	0.3	0.4	132.6	1.8	0.8	0.5	1.0	0.9	0.1		1.0		1.2	0.4	2.4	